



An ISO 9001 : 2008 Certified Company





Vertical Excellence in India with Right Technology



Manufacturer & Supplier of :-

Passenger Lift, Capsule Lift, Hospital Lift, Glass Lift, Hydraulic Lift,
Home Lift, Car Lift, Goods Lift, Dumbwaiters, Scissor Lift, Escalators & Controllers

Passenger Elevator (Auto Door)



- The Passenger engineered with full automatic doors.
- Fabricated with most advanced lift controls, appreciated for their high speed, smooth travel and perfect leveling different types of doors Centre Opening, Telescopic Opening,
- In high density requirements, we can provide grouping of multiple elevators of reduce the waiting time of the passengers
- Our proficiency allows us to design and develop Passenger Elevator of various sizes and capabilities.
- It gives benefits of jerk less travelling, economically low power consumption and excellent design.


PASSENGER ELEVATOR DIMENSIONS




LOAD		LIFT WELL		CAR INSIDE		ENTRANCE	MACHINE ROOM			PIT	OVER HEAD
PERSON	WEIGHT	WIDTH	DEPTH	WIDTH	DEPTH		WIDTH	DEPTH	HEIGHT		
	IN KG.	W	D	W	D	E	W	D	H	P	O
4	272	1600	1400	1000	800	700	2500	3000	2500	1350	4200
5	340	1600	1500	1100	900	700	2500	3000	2500	1450	4500
6	408	1600	1550	1100	1000	700	3000	3500	2500	1500	4500
8	544	1800	1600	1300	1150	800	3200	3500	2500	1600	4800
10	680	2000	1800	1350	1300	800	3500	4000	2500	1800	4800
13	884	2500	2000	2000	1100	900	4000	4200	2500	2200	5000
16	1088	2500	2200	2000	1300	1000	4500	4800	2500	2500	5200
20	1360	2600	2400	2000	1550	1000	5000	5500	2500	2500	5500

- All dimension are in mm.
- This is general data. It may be changed without notice.
- All hoist way walls should be minimum 230 mm brick or 150 mm R.C.C.


Machine Roomless Elevator MRL



- **Vertex Elevators** is counted amongst the most recognized names engaged in designing and developing Machine Roomless Elevator.
- Thought traction lifts were originally limited to high-rises, the innovative MRL design has allowed engineers to adapt elevators for low-rise buildings and homes.
- The advantage of MRL is much appreciated by civil engineers, architects and users.
- These elevators save 25 percent electricity and 10 percent of construction area.
- MRL have broken through the prerequisite for machine rooms, providing limitless possibilities of creation for the limited space of modern construction.
- Features : Longer functional life, Required low maintenance.



- All dimension are in mm.
- This is general data.
- It may be changed without notice.



HOISTWAY SIZE



MACHINE ROOMLESS ELEVATOR

MANUAL

AUTOMATIC

LOAD		LIFT WELL		CABIN INSIDE		LIFT WELL		CABIN INSIDE		ENTRY	PIT	OVERHEAD
PERSON	IN KG.	WIDTH	DEPTH	WIDTH	DEPTH	WIDTH	DEPTH	WIDTH	DEPTH	E	P	O
5	340	1600	1500	950	1050	1600	1500	950	1050	700/700	1600	4500
6	408	1650	1650	1050	1100	1650	1600	1050	1100	700/700	1600	4500
8	544	1800	1650	1150	1300	1850	1700	1150	1300	800/800	1600	4800
10	680	1800	2050	1200	1500	2000	1850	1200	1500	900/800	1600	5000
13	884	1850	2500	1250	1800	2100	2600	1250	1800	1000/900	2600	5500
15	1020	1900	2600	1300	2100	2100	3000	1300	2100	1000/900	2600	6500
20	1360	2100	2800	1550	2200	2300	3000	1550	2200	1100/1000	2600	6500
26	1786	2400	2800	1650	2400	2450	3000	1650	2400	1200/1000	2600	6700


Home Elevator




- Adds value to your home
- Precisely designed for your home.
- Noiseless.
- Its elegant design, easy to install as well as safe and easy mobility from basement to the top, with the push of a button.
- It is the ideal solution for elderly and physically challenged persons to move autonomously and free from Stairs.
- Smooth ride and smooth final stop.

Specification

DOOR OPERATION	LOAD		LIFT WELL		CAR INSIDE		ENTRANCE	SPEED	PIT	OVER HEAD
	PERSON	IN KG.	C	D	A	B	E	MPS	P	O
MANUAL DOOR	3	204	1100	1200	810	700	700	0.3	550	3100
MANUAL DOOR	4	272	1300	1400	800	1200	700	0.3	550	3100
AUTO DOOR	3	204	1250	1250	810	700	700	0.3	550	3100
AUTO DOOR	4	272	1300	1600	850	1150	700	0.3	550	3100







- Vertex Freight & Hospital Elevator means a powerful hoisting machine, durability to cope with rough treatment, a smooth ride to handle fragile loads, leveling accuracy for easy loading and unloading, and wide doors that maximize in-car space.
- Freight elevators are typically larger and capable of carrying heavier loads than a passenger elevator, generally from 500 to 5000 kg.
- We supply freight elevators with dust proof equipments as per our customer requirement.

• All dimension are in mm.
• This is general data.
It may be changed without notice.



HOSPITAL ELEVATOR AUTOMATIC CENTRE OPENING DOOR

LOAD		LIFT WELL		CAR INSIDE		ENTRANCE	MACHINE ROOM			PIT	OVER HEAD
PERSON	WEIGHT	WIDTH	DEPTH	WIDTH	DEPTH		WIDTH	DEPTH	HEIGHT		
	IN KG.	W	D	W	D	E	W	D	H	P	O
15	1020	1700	3000	1000	2400	800	3800	5500	2800	1600	4800
20	1360	2200	3000	1300	2400	1200	4200	5500	2800	2600	6500
26	1768	2350	3000	1600	2400	1200	4400	5500	2800	2600	6700




- **Vertex Capsule lifts** are inspired with creative flair to suit your particular idea.
- Capsule elevator give an upscale, attractive feel of offices, Shopping malls, multiplexes and other prestigious buildings.
- They are offered in different sizes, specifications, shapes and capacity according to the requirements of our clients.

HOISTWAY MACHINE ROOM SIZE PANORAMIC CAPSULE LIFT (THREE SIDE GLASS)

CAPACITY		CAR INSIDE		LIFT WELL			CLEAR ENTRANCE	CLEAR OPENING AT LANDING		PIT DEPTH
PERSON	IN KG.	W	D	W	D (AUTO DOOR)	D (MANUAL TELESCOPIC)	E	O (AUTO DOOR)	O (MANUAL TELESCOPIC)	P
6	408	1170	1200	1650	1700	1550	700	780 X 2100	1450 X 2350	1500
8	544	1300	1400	1900	1900	1750	800	880 X 2100	1600 X 2350	1600
10	680	1300	1700	2100	2150	1050	800	880 X 2100	1600 X 2350	1600
13	884	1400	2050	2300	2500	2400	900	980 X 2100	1700 X 2350	1700
16	1088	1500	2300	2400	2750	2650	900	980 X 2100	1700 X 2350	1800

- All dimension are in mm.
- This is general data. It may vary on customer's site.



- Hydraulic Elevator have dominated the elevator.
- Nevertheless, fluid driven systems have their distinct advantages, such as low maintenance cost due to wear free driving components, flexibility of car and machine room design, superior safety features, easy and cost effective installations.
- It is the safety option for home elevators.
- Simple and Fast installation.
- Wide Mass Range.



HYDRAULIC ELEVATOR

LOAD		LIFT WELL		CAR INSIDE		ENT.	CLEAR OPEING FOR DOOR FRAME	DOOR FRAME HEIGHT	
PERSONS	WEIGHT	WIDTH	DEPTH	WIDTH	DEPTH			STANDARD	ROPING TYPE
Nos.	IN KG.	W	D	W	D	E	C		
4	272	1400	1500	900	900	700	1175	2290	2350
6	408	1500	1700	1000	1100	700	1175	2290	2350
8	544	1800	1700	1300	1100	800	1275	2290	2350
10	680	1900	1950	1300	1350	800	1275	2290	2350



- All dimension are in mm.
- This is general data. It may be changed without notice.

Freight Elevator



FREIGHT ELEVATOR

LOAD	LIFT WELL		CAR INSIDE		ENT.	MACHINE ROOM			PIT	OVERHEAD
WEIGHT	WIDTH	DEPTH	WIDTH	DEPTH	MANUAL	WIDTH	DEPTH	HEIGHT		
IN KG.	W	D	W	D	E	W	W	H	P	O
500	1900	1600	1100	1200	800	3000	3800	2800	1600	4800
1000	2300	2200	1400	1800	1000	3000	4000	2800	1600	4800
1500	2600	2400	1700	2000	1200	3200	4200	2800	1800	4800
2000	2600	2800	1700	2500	1200	3200	4400	3000	2000	4800
2500	2900	3000	2000	2500	1200	3500	4600	3000	2600	6500
3000	2900	3400	2000	3000	1400	3500	4800	3200	2600	6500
4000	3400	3600	2500	3000	1800	4000	5000	3200	2600	6500
5000	3500	4300	2500	3600	2000	4200	5400	3200	2600	6500



Scissor Lift



Vertex Lift dependable Hydraulic Scissors Lift Tables are made from the best steel with state-of-the-art expertise and machinery. The precision manufacturing process employed ensures that each of our Scissors Lift Tables is up to international standards and specifications. Our Hydraulic Scissors Lift Tables come in a range of styles from common standard to customer-defined lifts. Our Hydraulic Scissors Lift Tables have different table sizes and weight loading capacities. Our scissor lift tables are known for their little or no maintenance costs and ease of handling

Range of Doors



M.S. CENTER OPENING LANDING DOOR
(AUTO DOOR)



M.S. TELESCOPIC LANDING DOOR
(AUTO DOOR)



S.S. GLASS CENTER OPENING DOOR
(AUTO DOOR)



S.S. HIRE FINISH CENTER OPENING DOOR
(AUTO DOOR)



M.S. TELESCOPIC LANDING DOOR
(MANUAL DOOR)



S.S. HIRE FINISH CENTER OPENING DOOR
(AUTO DOOR)



M.S. COLLAPSIBLE LANDING DOOR
(MANUAL DOOR)



M.S. IMPERFORATED LANDING DOOR
(MANUAL DOOR)

Elevator Floorings



Range of Cabins




S.S DESIGNER CABIN



S.S CABIN 304 (GOLDEN FINISH)



S.S CABIN 304 (GOLDEN FINISH)



M.S CABIN (POWDER COATED)



S.S CABIN 304 (HIRE & MIRROR FINISH)



S.S CABIN 304 (HIRE & MIRROR FINISH)




M.S CABIN (POWDER COATED)



M.S CABIN (POWDER COATED)

Elevator Handrails





FC-101



FC-102



FC-103



FC-104



FC-105

COP & LOP

OPTIONAL (AT EXTRA COST)



Deals in all type of Security Systems, Security Synchronization, Automation, Electronic Safe, Solar Power Plant, Solar Water Heater, Solar Lighting for Street Lighting for Home & Offices.



Special feature

- Micro controller based embedded technology
- Pulsed, modulated & scanned logic
- Crisscross beam pattern
- Extensive fault diagnosis
- Inbuilt surge & spike protection
- Extremely rugged

Special Features

- Compact & Space saving design
- ACVVVF Drive • Emergency Alarm & Light
- Real time fault logging • Overload protection

Car Lift



Escalator



Passenger Lift



Dumbwaiter



Vertex Lifts has gained experience to deliver highly nonstandard jobs in India and overseas.
We endeavor to deliver customer requirement rather offering our products.



Vertex Lifts (India) Pvt. Ltd.



Reg. Factory Address: Plot No 1, Raju Enclave,
Old Palam Road, Sectot-14, Dwarka, Delhi-110075
Contact : +91- 011 – 47579943 / 45065001
+91 11 45065001, 47579943
Mb: 7533003301, 7503326572



www.vertexlifts.com



sales@vertexlifts.com
contact@vertexlifts.com

We believe association is forever.

Contact Us @Noida/ East Uttar Pradesh

516, Ocean Complex, Sector 18
Noida, UP-201301.
Mb : 7290093628
email: sales@vertexlifts.com

Contact Us @Indore/ Madhyapradesh

101, Anjana Sqaure, Shiv Vatika
MR 11, Indore
Mb : 7290093629
email: sales@vertexlifts.com

Contact us@Nepal

5th Floor, Yeti Plaza,
Bagh Bazar Kathmandu, Nepal
Mb: (+977)-9851193151,
+91 9958634997
email: sales@vertexlifts.com

Contact Us @Udaypur/Rajasthan

1/3, Jindutt Suri Market,
Mewar Motor Link
Road B/h Rajasthan Bakery,
Surajpole,Udaipur – 313 001 (Raj.)
Mb: 7533003393
email: sales@vertexlifts.com

Contact Us @Gorakhpur / West Uttar Pradesh

Panacea Hospital, Chatrasangh
Chauraha Gorakhpur ,Gorakhpur
Mb : 7533003381
email: sales@vertexlifts.com

**Sales & Service
Support in
Nepal, Srilanka,
Bhutan and
Bangladesh.**

SERVICE NODES

• PANIPAT • CHANDIGARH • LUDHIANA • JALANDHAR • PATHANKOT • JAMMU • SOLAN • SHIMLA •
• GURGOAN • FARIDABAD • GHAZIABAD • NOIDA • VRINDAVAN • LUCKNOW • VARANASI • DEHRADUN •
• HARIDWAR • KASHIPUR • RUDRAPUR • BHOPAL • JAIPUR • BIKANER •

* All right reserved